

PRIAMUS

Serial Publication of the Centre for Entomological Studies Ankara

Supplement

Number 13 3 3 2008 ISSN 1015-8243

Synonymical and Distributional List of the Lepidoptera of Turkey

I- Tortricidae

Ahmet Ömer Koçak Muhabbet Kemal

Frontispiece: Fulvoclysia subdolana Turkey Van Pr Erekdağı 2000m, 21 6 2007 M Kemal (Cesa)

Abstract: Synonymical and distributional list of the Lepidoptera of Turkey I- *Tortricidae*. *Cent. ent. Stud., Priamus Suppl. 13:* 1-39, frontispiece.

In this publication, totally 457 species of the family *Tortricidae* found in Turkey are listed alphabetically. Synonymous names arranged chronologically are given to each species. Provincial distributions in Turkey are mentioned as codes and added to 365 species.

Keywords: Lepidoptera Tortricidae species list synonyms distribution Turkey

Within the frame of the scientific Project of the Cesa (DLW)¹, the Synonymical and Distributional List is a new serial of the *Lepidoptera* of Turkey. It comprises the scientific names of the species recorded in Turkey and the synonyms arranged in chronological order. The codes of the Turkish provinces are attached for each species, if this information accessable in the literature.

In the first part of this publication series, totally 457 species of the family *Tortricidae* hitherto recorded in Turkey are listed alphabetically. Synonymous names together with the authors and the date of publications are arranged chronologically and added to all species. Available distributional information are given to 365 species. As the provincial information are still lacking, other species are known only from Turkey. All the information submitted below are based upon the Info-System² of the Cesa.

The faunistic and taxonomical studies of the authors on the *Lepidoptera* of Turkey have been continuing. The results will be published in the serials of the Cesa at irregular intervals

List of the Species of the Tortricidae in Turkey

- 1. Acleris boscanoides Razowski,1959 <u>Synonym(s)</u>: boscanoides Razowski,1959 <u>Provinces in Turkey</u>: 42 44 60
- **2. Acleris comariana (Lienig & Zeller,1846)** Synonym(s): comariana Lienig & Zeller,1846; proteana Herrich-Schäffer,1851; potentillana Wilkinson,1859.

 Provinces in Turkey: 61
- 3. Acleris cristana ([Denis & Schiffermüller],1775) Synonym(s): cristana [Denis & Schiffermüller],1775; rossiana Fabricius,1794; desfontainana Fabricius,1794; profanana Fabricius,1794; ephippana Donovan,1794; sericana Hübner,[1799]; spadiceana Haworth,1811; ruficostana Curtis,1824; brunneana Stephens,1834; vittana Stephens,1834; consimilana Stephens,1834; albovittana Stephens,1834; lefebvriana Duponchel,1835; lichenana Curtis,1835; semiustana Curtis,1835;

¹ Diversity of the Lepidoptera in the World. http://www.cesa-tr.org/Cesaprojects.htm

² Info-System of the Cesa is based upon the literary and collection data arranged in database programs by the authors. Comprehensive list on the Bibliography of the Lepidoptera of Turkey was published by the author (Koçak,A.Ö. & M.Kemal, 2007, Chapter 4: Bibliography of the Lepidoptera (BL) [in] Koçak,A.Ö. & M.Kemal, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: 1117-1267.

- sequana Curtis,1835; subcristalana Curtis,1835; insulana Curtis,1835; bentleyana Curtis,1835; alboflammana Curtis,1835; chantana Curtis,1835; ruficristana Johnson,1842; gumpinana Johnson,1842; unicolorana Desvignes,1845; curtisana Desvignes,1845. Provinces in Turkey: 05
- **4.** Acleris hastiana (Linnaeus, 1758) Synonym(s): hastiana Linnaeus, 1758; coronana Thunberg, 1784; borana Fabricius, 1787; liberana Fabricius, 1787; byringerana Hübner, 1793; blomiana Thunberg, 1797; stickmanniana Thunberg, 1797; radiana Hübner,[1799]; albistriana Haworth,1811; eximiana Haworth,1811; aquilana Hübner,[1813]; divisana Hübner,[1813]; combustana Hübner,[1813]; autumnana Hübner,[1817]; bollingerana Hübner,[1825]; veterana Hübner,[1825]; leprosana Frölich, 1828; mayrana Geyer, [1833]; ramostriana Stephens, 1834; centrovittana Stephens, 1834; subcristana Stephens, 1834; obsoletana Stephens, 1834; leacheana & Westwood, 1845; *Curtis*, 1835; leucophaeana Humpreys basilineana Peyerimhoff, 1863. Provinces in Turkey: 46
- 5. Acleris kochiella (Goeze,1783) Synonym(s): kochiella Goeze,1783; ternatella Fourcroy,1785; boscana Fabricius,1794; cerusana Hübner,[1799]; ulmana Duponchel,1836; parisiana Guenée,1845. Provinces in Turkey: 05 06 15 16
- 6. Acleris lacordairana (Duponchel,1836) Synonym(s): lacordairana Duponchel,1836; obtusana Eversmann,1844; dissonana Herrich-Schäffer,1851; roxana Razowski & Yasuda,1964. Provinces in Turkey: 14
- 7. Acleris literana (Linnaeus,1758) Synonym(s): literana Linnaeus,1758; squamana Fabricius,1775; aspersana [Denis & Schiffermüller],1775; romanana Fabricius,1787; squamulana Hübner,1793; irrorana Hübner,[1799]; tricolorana Haworth,1811; abjectana Hübner,[1825]; aerugana Hübner,[1825]; fulvomixtana Stephens,1834; suavana Herrich-Schäffer,1851.
- 8. Acleris logiana (Clerck,1759) Synonym(s): logiana Clerck,1759; treueriana Denis & Schiffermüller,1775; niveana Fabricius,1787; mulzeriana Hübner,[1825]; scotana Stephens,1852; placidana Robinson,1869; trisignana Robinson,1869. Provinces in Turkey: 42
- 9. Acleris notana (Donovan,1806) Synonym(s): tripunctana Hübner,1799 nec [Denis & Schiff.],1775; notana Donovan,1806.

- 10. Acleris osthelderi Obraztsov,1949 <u>Synonym(s)</u>: osthelderi Obraztsov,1949 <u>Provinces in Turkey</u>: 46
- 11. Acleris permutana (Duponchel,1836) <u>Synonym(s):</u> permutana Duponchel,1836; permutatana Herrich-Schäffer,1851. <u>Provinces in Turkey: 16 46</u>
- 12. Acleris quercinana (Zeller,1849) <u>Synonym(s):</u> quercinana Zeller,1849; ? mucidana Peyerimhoff,1874 <u>Provinces in Turkey:</u> 05 16 44
- 13. Acleris rhombana ([Denis & Schiffermüller],1775) Synonym(s): rhombana [Denis & Schiffermüller],1775; reticulata Ström,1783; centrana Fabricius,1794; contaminana Hübner,[1799]; ciliana Hübner,[1799]; obscurana Donovan,1806 nec Schr.,1802; dimidiana Frölich,1828. Provinces in Turkey: 42 50
- **14.** Acleris scabrana ([Denis & Schiffermüller],1775) Synonym(s): scabrana [Denis & Schiffermüller],1775; elevana Fabricius,1787; psorana Frölich,1828.
- 15. Acleris schalleriana (Linnaeus,1761) Synonym(s): schalleriana Linnaeus,1761; hirundana Thunberg,1791; tristana Hübner,[1799]; castaneana Haworth,1811; plumbosana Haworth,1811; falsana Hübner,[1825]; germarana Frölich,1828; trigonana Stephens,1834; semirhombana Curtis,1835; violaceana Guenée,1845; erutana Herrich-Schäffer,1851.
- 16. Acleris sparsana ([Denis & Schiffermüller],1775) Synonym(s): sparsana [Denis & Schiffermüller],1775; sponsana Fabricius,1787; halliana Thunberg,1791; roborana Fabricius,1794; favillaceana Hübner,[1799]; reticulana Haworth,1811; fagana Curtis,1835; longepartitana Bruand,1850; malivorana Ragonot,1875; pyrivorana Ragonot,1875.
 Provinces in Turkey: 34 81
- 17. Acleris undulana (Walsingham,1900) Synonym(s): undulana Walsingham,1900; coprana Walsingham,1900; aphorista Meyrick,1923; subcoprana Obraztsov,1956 Provinces in Turkey: 07 46
- 18. Acleris variegana ([Denis & Schiffermüller],1775) Synonym(s): variegana [Denis & Schiffermüller],1775; asperana Fabricius,1777; osbeckiana Thunberg,1784; nyctemerana Hübner,[1817]; blandiana Charpentier,1821; blandana Hübner,[1825]; cirrana Curtis,1835; albana Humpreys & Westwood,1845; insignana Herrich-Schäffer, 1851. Provinces in Turkey: 05 06 15 16 32 35 42 44 46 61

- 19. Aethes argyrospila Karisch,2005 Synonym(s): argyrospila Karisch,2005 Provinces in Turkey: 30
- **20. Aethes bilbaensis** (**Rössler,1877**) Synonym(s): bilbaensis Rössler,1877; loxopteroides Walsingham,1903; mediterranea Rebel,1906; reclusa Meyrick,1923. Provinces in Turkey: 05 06 46 71
- 21. Aethes cremonana (Ragonot,1894) Synonym(s): cremonana Ragonot,1894

 Provinces in Turkey: 05 30
- 22. Aethes deaurana (Peyerimhoff,1877) Synonym(s): deaurana Peyerimhoff,1877; fusciella Turati,1924. Provinces in Turkey: 31
- 23. Aethes dilucidana (Stephens,1852) Synonym(s): dilucidana Stephens, 1852

 Provinces in Turkey: 15 32
- **24. Aethes eryngiella (Vallot,1829)** <u>Synonym(s):</u> *eryngiella Vallot,1829; flagellana Duponchel,1836; helvticana Heyden,1865; eryngiana Heyden,1865; sardoa Amsel,1952.* Provinces in Turkey: 01 06 42 46
- 25. Aethes francillana (Fabricius,1794) Synonym(s): francillana Fabricius,1794; francillonana Humprey & Westwood,1845; ferulae Müller-Rutz,1920. Provinces in Turkey: 05 06 16 33 42 45
- 26. Aethes hartmanniana (Clerck,1759) Synonym(s): ? lyonetella Linnaeus,1758; #hartmanniana Clerck,1759; wiedemannella Müller,1764; baumanniana [Denis & Schiffermüller],1775; allioniana De Villers,1789; avellana Hübner,1822; subbaumanniana Wilkinson,1859; murciana Caradja,1916; excelsior Schawerda,1920. Provinces in Turkey: 14 16
- **27. Aethes iranica Razowski,1963** <u>Synonym(s): iranica Razowski,1963</u> <u>Provinces</u> in Turkey: 65
- 28. Aethes kasyi Razowski,1962 Synonym(s): kasyi Razowski,1962 Provinces in Turkey: 06
- **29. Aethes kindermanniana (Treitschke,1830)** <u>Synonym(s):</u> *kindermanniana Treitschke,1830* Provinces in Turkey: 42
- 30. Aethes margaritana (Haworth,[1811]) Synonym(s): margaritana Haworth,[1811]; dipoltella Hübner,[1813]. Provinces in Turkey: 16
- 31. Aethes margaritifera Falkovitsh,1963 <u>Synonym(s):</u> margaritifera Falkovitsh,1963 <u>Provinces in Turkey: 25</u>

- 32. Aethes margarotana (Duponchel,1836) Synonym(s): margarotana Duponchel,1836; maritimana Guenée,1845; parallelana Kennel,1913; edrisitana Chrétien,1922; paronyma Meyrick,1932. Provinces in Turkey: 05 06 16 31 35 42 46 54 71
- 33. Aethes capnospila (Meyrick,1912) Synonym(s): capnospila Meyrick,1912

 Provinces in Turkey: 31 33 42
- 34. Aethes mauritanica (Walsingham,1898) Synonym(s): mauritanica Walsingham,1898; #mauretanica Kennel,1910; cornelia Turati,1924; albella Amsel,1952. Provinces in Turkey: 06 34 41
- 35. Aethes moribundana (Staudinger,1859) Synonym(s): moribundana Staudinger,1859; respirantana Staudinger,1879; dispersana Kennel,1899; dilutana Kennel,1899; helvolana Kennel,1900; lanceolata Filipjev,1924. Provinces in Turkey: 05 16 46 65 71
- 36. Aethes munda Karisch,2003 Synonym(s): munda Karisch,2003 Provinces in Turkey: 42
- 37. Aethes nefandana (Kennel,1899) <u>Synonym(s):</u> nefandana Kennel,1899; diacrisiana Rebel,1903; chersonana Obratsov,1937. <u>Provinces in Turkey:</u> 06 38
- 38. Aethes pannosana (Kennel,1913) <u>Synonym(s)</u>: pannosana Kennel,1913

 Provinces in Turkey: 42
- **39. Aethes sanguinana (Treitschke,1830)** <u>Synonym(s):</u> *sanguinana Treitschke,1830;* #sanguinea Humpreys & Westwood,1845; #sanguinella Bradley, Tremewan & Smith,1973 <u>Provinces in Turkey:</u> 16
- **40. Aethes smeathmanniana (Fabricius,1781)** <u>Synonym(s):</u> <u>smeathmanniana</u> Fabricius,1781; fabriciana Hübner,[1799]; biviana Duponchel,1842; stachydana Herrich-Schäffer,1851; scissana Walker,1863. <u>Provinces in Turkey: 16 42 46</u>
- 41. Aethes speciosa Razowski,1962 <u>Synonym(s)</u>: speciosa Razowski,1962 <u>Provinces in Turkey</u>: 46
- **42. Aethes spirana (Kennel,1899)** <u>Synonym(s): spirana Kennel,1899</u> <u>Provinces in Turkey: 30 65</u>
- 43. Aethes tesserana ([Denis & Schiffermüller],1775) Synonym(s): tesserana [Denis & Schiffermüller],1775; aleella Sulzer,1776; heiserana Fabricius,1787; groendaliana Thunberg,1791. Provinces in Turkey: 05 06 16 40 65

- **44. Aethes tornella (Walsingham,1898)** <u>Synonym(s):</u> *tornella Walsingham,1898* Provinces in Turkey: 05 06 16 46
- 45. Aethes williana (Brahm,1791) Synonym(s): williana Brahm,1791; cembrana Hübner,[1825]; zephyrana Treitschke,1830; dubrisana Curtis,1834; marmoratana Curtis,1834; luteolana Stephens,1834; virginana Guenée,1845; loriculana Guenée,1849; costignata Filipjev,1926. Provinces in Turkey: 05 16 35 42 46
- **46. Agapeta hamana (Linnaeus,1758)** <u>Synonym(s):</u> *hamana Linnaeus,1758;* trigonana [Denis & Schiffermüller],1775; citrinella Fourcroy,1785; cruciana Fabricius,1787; diversana Hübner,1793 <u>Provinces in Turkey:</u> 06 14 16 50
- **47. Agapeta zoegana (Linnaeus,1767)** <u>Synonym(s):</u> *zoegana Linnaeus,1767; cincta Fourcroy,1785; flavella Villers,1789; ferrugana Haworth,[1811] nec [Denis & Schiff.],1775; #zaegana Staudinger,1879* Provinces in Turkey: 16 75
- 48. Aleimma loeflingianum (Linnaeus,1758) Synonym(s): loeflingiana Linnaeus,1758; mixtana Fabricius,1794; plumbana Hübner,[1799]; ectypana Hübner,[1800]; plumbeolana Haworth,1811 Provinces in Turkey: 05 06 16 17 22 32 42 46 65 71 81
- Ancylis achatana ([Denis & Schiffermüller],1775) Synonym(s): achatana [Denis & Schiffermüller],1775; inarmorana Hübner,[1799]; steveni Portchinskij,1888
 Provinces in Turkey: 05 14 16
- 50. Ancylis apicella ([Denis & Schiffermüller],1775) Synonym(s): apicella [Denis & Schiffermüller],1775; leeana Fabricius,1777; plumbana Fabricius,1787; siculana Hübner,[1799]; alpina Weber,1936 Provinces in Turkey: 05 16
- 51. Ancylis badiana ([Denis & Schiffermüller],1775) Synonym(s): badiana [Denis & Schiffermüller],1775; lundana Fabricius,1777. Provinces in Turkey: 16
- 52. Ancylis comptana (Frölich,1828) Synonym(s): comptana Frölich,1828; conflexana Walker,1863; pulchellana Clemens,1864; lamiana Clemens,1864; fragariae Walsh & Riley,1869; floridana Zeller,1875; amblygona Zeller,1875; cometana Walsingham,1879; sculpta Meyrick,1922 Provinces in Turkey: 05 06 16
- **53. Ancylis geminana (Donovan,1806)** <u>Synonym(s):</u> *geminana Donovan,1806; cuspidana Treitschke,1830; biarcuana Stephens,1834; crenana Duponchel,1835;*

- subarcuana Douglas, 1847; fluctigerana Herrich-Schäffer, [1851]; inornatana Herrich-Schäffer, [1851]; diminuatana Kearfott, 1905
- 54. Ancylis laetana (Fabricius,1775) Synonym(s): laetana Fabricius,1775; #lactana Fabricius,1781; harpana Hübner,[1799]. Provinces in Turkey: 81
- 55. Ancylis mitterbacheriana ([Denis & Schiffermüller],1775) Synonym(s): mitterbacheriana [Denis & Schiffermüller],1775; subuncana Haworth,1811
- 56. Ancylis obtusana (Haworth,[1811]) Synonym(s): obtusana Haworth,[1811]; consobrinana Curtis,1831; distortana Guenée,1845; segmentana Herrich-Schäffer,1851 Provinces in Turkey: 16
- 57. Ancylis paludana (Barrett,1871) Synonym(s): paludana Barrett,1871; rhusana Fuchs,1903. Provinces in Turkey: 42
- 58. Ancylis selenana (Guenée,1845) <u>Synonym(s)</u>: selenana Guenée,1845; curvana Zeller,1849
- 59. Ancylis transientana Filipjev,1926 Synonym(s): transientana Filipjev,1926
- 60. Ancylis unculana (Haworth,[1811]) Synonym(s): unculana Haworth,[1811]; derasana Hübner,[1813]. Provinces in Turkey: 16
- 61. Aphelia (Zelotherses) (ochreana Hübner,[1799]) Synonym(s): ferugana Hübner,1793 (homonym); ochreana Hübner,[1799]; shaqlawana Amsel,1955; chretieni Obraztsov,1957 Provinces in Turkey: 05 16 30 42 46 65 71
- **62.** Aphelia (Zelotherses) euxina (Djakonov,1929) Synonym(s): euxina Djakonov,1929; regisborissi Drenowski,1931
- 63. Aphelia (Zelotherses) icteratana (Staudinger,1880) Synonym(s): icteratana Staudinger,1880 Provinces in Turkey: 05
- 64. Aphelia (Zelotherses) ignoratana (Staudinger,1880) Synonym(s): ignoratana Staudinger,1880 Provinces in Turkey: 05
- **65. Aphelia (Zelotherses) imperfectana (Lederer,1858)** <u>Synonym(s):</u> *imperfectana Lederer,1858; ineffecta Obraztsov,1968.*
- 66. Aphelia (Zelotherses) insincera (Meyrick,1912) Synonym(s): insincera

 Meyrick,1912 Provinces in Turkey: 31
- 67. Aphelia (Zelotherses) paleana (Hübner,1793) Synonym(s): paleana Hübner,1793; flavana Hübner,[1799] nec Hübn.,[1799]; icterana Fröhlich,1828; intermediana Herrich-Schäffer,1856 nec Heyd.,1851; raebeli Toll,1951

- **68. Aphelia (s.str.) viburniana (Fabricius,1787)** <u>Synonym(s):</u> #viburnana [Denis & Schiffermüller],1775; viburniana Fabricius,1787
- 69. Apotomis capreana (Hübner,[1817]) Synonym(s): capreana Hübner,[1817]; sapporensis Matsumura,1931 Provinces in Turkey: 61
- 70. Archips crataeganus (Hübner,[1799]) Synonym(s): crataegana Hübner,[1799]; roborana Hübner,[1799] Provinces in Turkey: 03 06 15 18 34
- 71. Archips podanus (Scopoli,1763) Synonym(s): podana Scopoli,1763; fulvana [Denis & Schiffermüller],1775; pyrastrana Hübner,[1799]; congenerana Hübner,[1824]; sauberiana Sorhagen,1882; vulpeculana Fuchs,1903; meridana Kozlov & Esartia,1991 Provinces in Turkey: 01 05 14 16 17 25 34 39 41 42 46 71 81
- 72. Archips rosanus (Linnaeus,1758) Synonym(s): rosana Linnaeus,1758; avellana Linnaeus,1758; ameriana Linnaeus,1758; laevigana [Denis & Schiffermüller],1775; oxycanthana Hübner,[1799]; acerana Hübner,[1799]; nebulana Stephens,1834 Provinces in Turkey: 03 05 06 07 08 14 15 16 17 18 22 24 25 32 34 42 51 71
- 73. Archips xylosteanus (Linnaeus,1758) Synonym(s): xylosteana Linnaeus,1758; obliquana Fabricius,1781; westriniana Thunberg,1784; densata Fourcroy,1785; densana Villers,1789; characterana Hübner,1793; hybnerana Fabricius,1794; pallens Kennel,1901 Provinces in Turkey: 16 18 24 34 41 65
- 74. Argyrotaenia ljungiana (Thunberg,1797) Synonym(s): ljungiana Thunberg,1797; sylvana Hübner,[1799]; pulchellana Haworth,1811; cognatana Stephens,1852; fuscociliana Stephens,1852; lepidana Herrich-Schäffer,1854; micantana Lucas,1937.
- **75. Asketria cervinana (Caradja,1916)** <u>Synonym(s): cervinana Caradja,1916</u> Provinces in Turkey: 76
- **76. Aterpia andereggana Guenée,1845** <u>Synonym(s):</u> *andereggana Guenée,1845; spuriana Herrich-Schäffer,1851*
- 77. Aterpia flavens Falkovitsh, 1966 Synonym(s): flavens Falkovitsh, 1966
- 78. Bactra (Chiloides) venosana (Zeller,1847) Synonym(s): venosana Zeller,1847; truculenta Meyrick,1909; scythropa Meyrick,1911; geraropa Meyrick,1932; banesii Gozmany,1960

- 79. Bactra (s.str.) furfurana (Haworth,[1811]) Synonym(s): furfurana Haworth,[1811]; gozmaniana Toll,1958 Provinces in Turkey: 05 42
- 80. Bactra (s.str.) lancealana (Hübner,[1799]) Synonym(s): lancealana Hübner,[1799]; #lanceolana Hübner,[1822]; egestana Haworth,1811; plagana Haworth,1811; dibeliana Hübner,[1819]; rufana Stephens,1834; nigrovittana Stephens,1852 Provinces in Turkey: 05 06 16 34 46
- 81. Bactra (s.str.) robustana (Christoph,1872) <u>Synonym(s):</u> robustana Christoph,1872; griseana A.M.Djakonov,1929; grisea A.M.Djakonov,1929; scirpicolana Pierce,1935 <u>Provinces in Turkey:</u> 42
- 82. Barbara herrichiana Obraztsov,1960 <u>Synonym(s)</u>: herrichiana Obraztsov,1960 <u>Provinces in Turkey</u>: 34
- 83. Barbara osmana Obraztsov, 1952 Synonym(s): osmana Obraztsov, 1952
- 84. Cacoecimorpha pronubana (Hübner,[1799]) <u>Synonym(s):</u> pronubana Hübner,[1799]; ambustana Frölich,1830; herminiana Treitschke,1835; insolatana Lucas,1848; perochreana Herrich-Schäffer,1856; obsoletana Strand,1901 <u>Provinces in Turkey:</u> 16 34 35
- 85. Capricornia boisduvaliana (Duponchel,1836) Synonym(s): boisduvaliana Duponchel,1836
- 86. Celypha anatoliana (Caradja,1916) Synonym(s): anatoliana Caradja,1916

 Provinces in Turkey: 14 42
- 87. Celypha aurofasciana (Haworth,[1811]) Synonym(s): aurofasciana Haworth,[1811]; venustana Frölich,1828; dormoyana Duponchel,1835; grapholitana Guenée,1845; implicana Offmann,1850; paleana Caradja,1916 Provinces in Turkey: 16
- 88. Celypha cespitana (Hübner,[1817]) Synonym(s): ? umbriana Scopoli,1763; cespitana Hübner,[1817]; gramineana Curtis,1831; poana Zeller,1875 Provinces in Turkey: 05 16
- 89. Celypha flavipalpana (Herrich-Schäffer,[1851]) Synonym(s): flavipalpana Herrich-Schäffer,[1851]; lobocasis Meyrick,1936 Provinces in Turkey: 16
- 90. Celypha rivulana (Scopoli,1763) Synonym(s): rivulana Scopoli,1763; rivellana Fabricius,1775; fasciella Goeze,1783; undulatella Fourcroy,1785; conchana Hübner,[1799] Provinces in Turkey: 05 14 16

- 91. Celypha rurestrana (Duponchel,1843) Synonym(s): rurestrana Duponchel,1843; lucivagana Lienig & Zeller,1846; #rupestrana Staudinger,1879; kemnerana Benander,1943. Provinces in Turkey: 16
- 92. Celypha striana ([Denis & Schiffermüller],1775) Synonym(s): striana [Denis & Schiffermüller],1775; rusticana Hübner,[1799]; biliturana Donovan,1806; fasciolana Hübner,[1817]. Provinces in Turkey: 05 16
- 93. Celypha woodiana (Barrett,1882) Synonym(s): woodiana Barrett,1882

 Provinces in Turkey: 14 71
- 94. Ceratoxanthis argentomixtana (Staudinger,1870) Synonym(s): argentomixtana Staudinger,1870 Provinces in Turkey: 32 46
- 95. Choristoneura diversana (Hübner,[1817]) Synonym(s): diversana
 Hübner,[1817]; viduana Frölich,1828; transitana Guenée,1845; alfredana
 Duponchel,1846 Provinces in Turkey: 16
- 96. Choristoneura hebenstreitella (Müller,1764) Synonym(s): hebenstreitella Müller,1764; pyrana Villers,1789; sorbiana Hübner,[1799] Provinces in Turkey: 05 16 34
- 97. Choristoneura lafauryana (Ragonot,1875) Synonym(s): lafauryana Ragonot,1875; inornatana Walsingham,1900 Provinces in Turkey: 14 81
- 98. Choristoneura murinana (Hübner,[1799]) Synonym(s): murinana Hübner,[1799]; caprimulgana Koch,1859; besseri Nowicki,1860; histrionana Ratzeburg,1868 nec Fröl.,1828; immaculana Wachtl,1882 Provinces in Turkey: 32
- 99. Cirriphora pharaonana (Kollar, 1858) Synonym(s): pharaonana Kollar, 1858
- 100. Clepsis consimilana (Hübner,[1817]) Synonym(s): consimilana Hübner,[1817]; unifasciana Duponchel,1843; productana Zeller,1847; obliterana Herrich-Schäffer,1851; peregrinana Stephens,1852; eatoniana Ragonot,1881; semiana Chrétien,1915; acclivana Zerny,1933; placida Diakonoff,1948 Provinces in Turkey: 05 16
- 101. Clepsis dumicolana (Zeller,1847) <u>Synonym(s)</u>: dumicolana Zeller,1847; austriaca Amsel,1952 <u>Provinces in Turkey</u>: 16
- **102.** Clepsis pallidana (Fabricius,1776) <u>Synonym(s):</u> pallidana Fabricius,1776; strigana Hübner,[1799]; stramineana Herrich-Schäffer,[1851]; quinquemaculana

- Bremer, 1864; cesareana Joannis, 1891; districta Meyrick, 1920. Provinces in Turkey: 38
- 103. Clepsis rurinana (Linnaeus,1758) Synonym(s): rurinana Linnaeus,1758; modeerinana Linnaeus,1761; angulosa Fourcroy,1785; semialbana Guenée,1845; idana Kennel,1919; liotoma Meyrick,1935. Provinces in Turkey: 05 14 16
- **104. Clepsis senecionana (Hübner,[1819])** Synonym(s): rusticana Hübner,[1799] (praeocc.); senecionana Hübner,[1819]; helvolana Fröhlich,1828; stramineana Zetterstedt,1839; porcana Zetterstedt,1839; pulverana Eversmann,1844; culmana Peyerimhoff,1864.
- 105. Clepsis spectrana (Treitschke,1830) Synonym(s): spectrana Treitschke,1830; vinculana Treitschke,1830; latiorana Stainton,1857; liverana Mansbridge,1914; intermedia Mansbridge,1914
- 106. Cnephasia (Cnephasiella) abrasana (Duponchel,1843) Synonym(s): abrasana Duponchel,1843 Provinces in Turkey: 05 06 35
- 107. Cnephasia (Cnephasiella) incertana (Treitschke,1835) Synonym(s): incertana Treitschke,1835; subjectana Guenée,1845; minorana Herrich-Schäffer,1851; barbarana Walsingham,1900; kurdistana Amsel,1955; atticana Razowski,1958 Provinces in Turkey: 05 34 38 42 44 46
- 108. Cnephasia (s.str.) asiatica Kuznetsov,1956 Synonym(s): asiatica Kuznetsov,1956 Provinces in Turkey: 71
- **109.** Cnephasia (s.str.) asseclana ([Denis & Schiffermüller],1775) Synonym(s): asseclana [Denis & Schiffermüller],1775; interjectana Haworth,1811; virgaureana Treitschke,1835; oleraceana Gibson,1916
- 110. Cnephasia (s.str.) bizensis Razowski,1953 Synonym(s): bizensis Razowski,1953
- 111. Cnephasia (s.str.) chrysantheana (Duponchel,1843) Synonym(s): chrysantheana Duponchel,1843; cinareana Chrétien,1892; #cinereana Meyrick,1912 Provinces in Turkey: 35 71
- 112. Cnephasia (s.str.) communana (Herrich-Schäffer,[1851]) Synonym(s): communana Herrich-Schäffer,[1851] Provinces in Turkey: 14 71
- 113. Cnephasia (s.str.) cupressivorana (Staudinger,1871) Synonym(s): cupressivorana Staudinger,1871; appenicola Obraztsov,1950; orthoxyana Réal,1951; confluentana Réal,1951 Provinces in Turkey: 16 39 46

- 114. Cnephasia (s.str.) facetana Kennel,1901 Synonym(s): facetana Kennel,1901
- 115. Cnephasia (s.str.) fragosana (Zeller, 1847) Synonym(s): fragosana Zeller, 1847
- 116. Cnephasia (s.str.) graecana Rebel,1902 <u>Synonym(s)</u>: graecana Rebel,1902; #ochreana Razowski,1961
- 117. Cnephasia (s.str.) grandis (Osthelder,1938) Synonym(s): grandis Osthelder,1938
- 118. Cnephasia (s.str.) helenica Obraztsov,1950 Synonym(s): helenica Obraztsov,1950; hellenica Obraztsov,1956
- 119. Cnephasia (s.str.) heringi Razowski,1958 Synonym(s): heringi Razowski,1958 Provinces in Turkey: 05 06 71
- 120. Cnephasia (s.str.) kenneli Obraztsov,1956 Synonym(s): obsoletana Kennel,1901 nec Wd.,1832; kenneli Obraztsov,1956. Provinces in Turkey: 31 44
- 121. Cnephasia (s.str.) korvaci Razowski,1965 <u>Synonym(s):</u> korvaci Razowski,1965 <u>Provinces in Turkey:</u> 44
- 122. Cnephasia (s.str.) longana (Haworth,[1811]) Synonym(s): longana Haworth,[1811]; egenana Haworth,[1811]; expallidana Haworth,[1811]; ictericana Haworth,[1811]; lutosana Hübner,[1813]; capillana Guenée,1845; stratana Zeller,1847; loeviana Zeller,1847; luridalbana Herrich-Schäffer,1851; insolatana Herrich-Schäffer,1851; gratana Laharpe,1860; #ongana Meyrick,1912; cadizensis Razowski,1959 Provinces in Turkey: 16
- 123. Cnephasia (s.str.) maraschana Caradja,1916 Synonym(s): maraschana Caradja,1916 Provinces in Turkey: 46
- 124. Cnephasia (s.str.) orientana (Alpheraky,1877) Synonym(s): orientana Alpheraky,1877 Provinces in Turkey: 06 30 38
- 125. Cnephasia (s.str.) osthelderi Obraztsov,1950 Synonym(s): osthelderi Obraztsov,1950 Provinces in Turkey: 46
- 126. Cnephasia (s.str.) oxyacanthana (Herrich-Schäffer,[1851]) Synonym(s): oxyacanthana (Herrich-Schäffer,[1851]. Provinces in Turkey: 16
- 127. Cnephasia (s.str.) pasiuana (Hübner,[1799]) Synonym(s): pasiuana Hübner,[1799]; obsoletana Stephens,1835; pumicana Zeller,1847; #pasivana Staudinger,1879; crassifasciana Joannis,1920; linophagana Rebel,1939; pyrophagana Rebel,1939; cleuana Réal,1952; pseudotypica Réal,1952; algerana

- Réal,1953; blezynskii Toll,1953; hagiosana Razowski,1959 Provinces in Turkey: 05 16 34 35
- 128. Cnephasia (s.str.) sedana (Constant,1884) Synonym(s): sedana Constant,1884; marcidana Kennel,1901; valderiana Turati & Verity,1912; alaicana Caradja,1916; agathana Kennel,1919; obscurana Osthelder,1938; oricasis Meyrick,1932; amseli Razowski,1957; pirizanica Razowski,1965 Provinces in Turkey: 06 33 38 42 46
- 129. Cnephasia (s.str.) semibrunneata De Joannis,1891 Synonym(s): semibrunneata De Joannis,1891
- 130. Cnephasia (s.str.) stephensiana (Doubleday,1849) Synonym(s): stephensiana Doubleday,1849 Provinces in Turkey: 71
- 131. Cnephasia (s.str.) tianshanica Filipjev,1934 <u>Synonym(s):</u> tianshanica Filipjev,1934; osthelderi Obraztsov,1950; sareptana Razowski,1959; alatauana Razowski,1961. <u>Provinces in Turkey:</u> 46 71
- **132.** Cnephasia (s.str.) tofina (Meyrick,1922) Synonym(s): tofina Meyrick,1922; syriella Razowski,1956; tolli Razowski,1956; palaestinensis Amsel,1958
- 133. Cnephasia (s.str.) tristrami (Walsingham,1900) Synonym(s): tristrami Walsingham,1900 Provinces in Turkey: 06 46
- 134. Cnephasia (s.str.) uniformana Caradja,1916 <u>Synonym(s):</u> uniformana Caradja,1916
- 135. Cnephasia (s.str.) virginana (Kennel,1899) <u>Synonym(s):</u> virginana Kennel,1899; maraschana Caradja,1916. <u>Provinces in Turkey:</u> 46 47
- 136. Cochylidia heydeniana (Herrich-Schäffer,[1851]) Synonym(s): heydeniana Herrich-Schäffer,[1851]; pudorana Staudinger,1859; erigenana Walsingham,1891; sabulicola Walsingham,1900; almana Kennel,1919; obraztsovi Amsel,1951; amseli Obraztsov,1956. Provinces in Turkey: 16
- 137. Cochylidia implicitana (Wocke,1856) Synonym(s): implicitana Wocke,1856; coercitana Staudinger,1859; noctulatana Agenjo,1952. Provinces in Turkey: 31
- 138. Cochylidia rupicola (Curtis, 1834) Synonym(s): rupicola Curtis, 1834
- 139. Cochylimorpha alternana (Stephens,1834) Synonym(s): alternana Stephens,1834; #gigantana Doubleday,1849; moscovana Kennel,1913; cinnamomella Turati & C.G.Krüger,1936. Provinces in Turkey: 06 35

- **140.** Cochylimorpha armeniana (Joannis,1891) <u>Synonym(s):</u> armeniana Joannis,1891. Provinces in Turkey: 38
- 141. Cochylimorpha cultana (Lederer,1855) Synonym(s): cultana Lederer,1855; pontana Staudinger,1859; extensana Staudinger,1859; lambessana Baker,1888; oedemana Constant,1893; bigenerana Kennel,1900; assalana Chrétien,1915; albidana Caradja,1916; symmerista Meyrick,1935. Provinces in Turkey: 42
- 142. Cochylimorpha decolorella (Zeller,1839) Synonym(s): decolorella Zeller,1839; chamomillana Herrich-Schäffer,[1851]; pentactinana Mann,1855.

 <u>Turkey:</u> 16
- 143. Cochylimorpha diana (Kennel,1899) Synonym(s): diana Kennel,1899; iraniana Razowski,1963. Provinces in Turkey: 06 42 44 46 47 58 65 76
- 144. Cochylimorpha discolorana Kennel,1899 <u>Synonym(s)</u>: discolorana Kennel,1899; dichroina Danilevsky,1962; #sarobica Razowski,1964 <u>Provinces in Turkey</u>: 76
- 145. Cochylimorpha eburneana (Kennel,1899) <u>Synonym(s):</u> eburneana Kennel,1899

 Provinces in Turkey: 23 44 65
- 146. Cochylimorpha elongana (Fischer v. Röslerstamm,1839) Synonym(s): elongana Fischer v. Röslerstamm,1839; impurana Mann,1855; favillana Staudinger,1859; tetricana Mann,1864 Provinces in Turkey: 16 71
- 147. Cochylimorpha fucosa (Razowski,1970) Synonym(s): fucosa Razowski,1970

 Provinces in Turkey: 44
- 148. Cochylimorpha hilarana (Herrich-Schäffer,[1851]) Synonym(s): hilarana Herrich-Schäffer,[1851]; rheticana LaHarpe,1864; dilutana Caradja,1916.

 Provinces in Turkey: 16 42
- **149. Cochylimorpha kurdistana (Amsel,1959)** Synonym(s): kurdistana Amsel,1959 Provinces in Turkey: 31
- 150. Cochylimorpha langeana (Kalchberg,1897) <u>Synonym(s):</u> langeana Kalchberg,1897; anticyphas Meyrick,1936; hannemanni Razowski,1961 <u>Provinces in Turkey: 06 31 71</u>
- 151. Cochylimorpha meridiana (Staudinger,1859) <u>Synonym(s):</u> meridiana Staudinger,1859; claviculana Mann,1863; frauenfeldi Mann,1871; naeviferana Kennel,1899; priscillana Kennel,1919. <u>Provinces in Turkey: 05 06 38 42 46</u>

- 152. Cochylimorpha meridiolana (Ragonot,1894) Synonym(s): meridiolana Ragonot,1894; ochrostriana Kennel,1899; meridiolana Kennel,1900 nec Ragonot,1894; kenneli Razowski,1967. Provinces in Turkey: 47
- 153. Cochylimorpha nodulana (Möschler,1862) Synonym(s): nodulana Möschler,1862

 Provinces in Turkey: 46 76
- **154.** Cochylimorpha nomadana (Erschoff,1874) Synonym(s): nomadana Erschoff,1874 Provinces in Turkey: 42 76
- 155. Cochylimorpha pyramidana (Staudinger,1871) Synonym(s): pyramidana Staudinger,1871 Provinces in Turkey: 76
- 156. Cochylimorpha sparsana (Staudinger,1880) Synonym(s): sparsana
 Staudinger,1880 Provinces in Turkey: 05
- 157. Cochylimorpha straminea (Haworth,[1811]) Synonym(s): straminea Haworth,[1811]; tischerana Treitschke,1830; sudana Duponchel,1836; substraminea Ragonot,1895; scabiosana Kennel,1900; lentiginosana Kennel,1900; ramessana Rebel,1912; numidana Turati,1924; glaisana Lucas,1942; pallens Lucas,1954. Provinces in Turkey: 05 06 16 33 35 46
- 158. Cochylimorpha thomasi Karisch,2003 Synonym(s): thomasi Karisch,2003

 Provinces in Turkey: 65
- 159. Cochylimorpha wiltshirei Razowski,1963 Synonym(s): wiltshirei Razowski,1963 Provinces in Turkey: 06
- **160.** Cochylis apricana Kennel,1899 <u>Synonym(s):</u> apricana Kennel,1899; amoenana Kennel,1899.
- 161. Cochylis atricapitana (Stephens,1852) Synonym(s): atricapitana Stephens,1852

 Provinces in Turkey: 29
- 162. Cochylis defessana (Mann,1861) <u>Synonym(s)</u>: defessana Mann,1861; centaureana Staudinger,1879. <u>Provinces in Turkey</u>: 05 06 14 42 44 71
- 163. Cochylis epilinana Duponchel,1842 <u>Synonym(s)</u>: epilinana Duponchel,1842; carpophilana Staudinger,1859. <u>Provinces in Turkey</u>: 06 38 42 71
- 164. Cochylis hybridella (Hübner,[1813]) Synonym(s): hybridella Hübner,[1813]; dissolutana Herrich-Schäffer,[1847]; carduana Zeller,1847; clarana Caradja,1916.

 Provinces in Turkey: 06

- **165. Cochylis** militariana Derra,1991 <u>Synonym(s)</u>: militariana Derra,1991 Provinces in Turkey: 47
- 166. Cochylis nana (Haworth,[1811]) Synonym(s): nana Haworth,[1811]
- 167. Cochylis pallidana Zeller,1847 Synonym(s): pallidana Zeller,1847 Provinces
 in Turkey: 06 16
- 168. Cochylis posterana Zeller,1847 Synonym(s): posterana Zeller,1847; nubivagana Zerny,1935; hyrcana Toll,1947. Provinces in Turkey: 01 05 14 15 16 30 38 42 46
- 169. Cochylis roseana (Haworth,[1811]) Synonym(s): roseana Haworth,[1811]; rubellana Hübner,[1823]; dipsaceana Duponchel,1843; undulatana Kennel,1899.

 Provinces in Turkey: 33
- 170. Cochylis salebrana (Mann,1862) Synonym(s): salebrana Mann,1862; millierana Peyerimhoff,1877. Provinces in Turkey: 14 16
- 171. Cochylis suaveolana Fuchs,1903 <u>Synonym(s)</u>: suaveolana Fuchs,1903 <u>Provinces in Turkey</u>: 42
- 172. Crocidosema plebejana Zeller,1847 Synonym(s): plebejana Zeller,1847; altheana Mann,1855; lavaterana Millière,1863; peregrinana Möschler,1866; obscura Wollaston,1879; blackburnii Butler,1881; signatana Walsingham,1894; ptiladelpha Meyrick,1917; insulana Aurivillius,1922; synneurota Meyrick,1926; tornocycla Turner,946; charmera Turner,1946. Provinces in Turkey: 14 42
- 173. Croesia bergmanniana (Linnaeus,1758) Synonym(s): bergmanniana Linnaeus, 1758; rosana Hübner, 1822. Provinces in Turkey: 17 34 54
- 174. Croesia forsskaleana (Linnaeus,1758) Synonym(s): forsskaleana Linnaeus,1758; forskaliana Haworth,1811. Provinces in Turkey: 14 34 65
- 175. Croesia holmiana (Linnaeus,1758) Synonym(s): holmiana Linnaeus,1758; stellata Fourcroy,1785; stellatella Villers,1789. Provinces in Turkey: 05 16
- 176. Cryptocochylis conjunctana (Mann,1864) Synonym(s): conjunctana Mann,1864; grapholitana Kennel,1913. Provinces in Turkey: 16 42
- **177. Cydia adjunctana (Kennel,1901)** Synonym(s): adjunctana Kennel,1901 Provinces in Turkey: 05
- **178. Cydia alienana Caradja,1916** Synonym(s): alienana Caradja,1916; pfeifferi Rebel,1935 Provinces in Turkey: 33 46

- 179. Cydia amplana (Hübner,[1799]) Synonym(s): amplana Hübner,[1799]; molybdana Constant,1884 Provinces in Turkey: 14 34 71
- 180. Cydia conicolana (Heylaerts,1874) <u>Synonym(s):</u> conicolana Heylaerts,1874

 Provinces in Turkey: 17
- 181. Cydia coniferana (Saxesen,1840) Synonym(s): coniferana Saxesen,1840; ? ericicolana Bruand,1850; separatana Herrich-Schäffer,1851 Provinces in Turkey: 14
- 182. Cydia duplicana (Zetterstedt,1839) <u>Synonym(s)</u>: <u>duplicana</u> Zetterstedt,1839

 <u>Provinces in Turkey</u>: 71
- 183. Cydia honorana (Herrich-Schäffer,1851) Synonym(s): honorana Herrich-Schäffer,1851 Provinces in Turkey: 71
- **184. Cydia inquinatana (Hübner,[1799])** Synonym(s): inquinatana Hübner,[1799]

 Provinces in Turkey: 16
- 185. Cydia leucogrammana (Hofmann,1898) Synonym(s): leucogrammana Hofmann,1898 Provinces in Turkey: 06
- 186. Cydia microgrammana (Guenée,1845) <u>Synonym(s):</u> microgrammana Guenée, 1845 <u>Provinces in Turkey:</u> 05 14 38
- 187. Cydia nigricana (Fabricius,1794) Synonym(s): #rusticella Clerck,1759; nigricana Fabricius,1794; proximana Haworth,1811; pisana Guenée,1845; ratifera Meyrick,1912; novimundi Heinrich,1920 Provinces in Turkey: 18
- 188. Cydia oxytropidis (Martini,1912) Synonym(s): oxytropidis Martini,1912
- 189. Cydia phalacris Meyrick,1912 Synonym(s): phalacris Meyrick,1912
- 190. Cydia pomonella (Linnaeus,1758) Synonym(s): pomonella Linnaeus,1758; pomona Fabricius,1775; pomonana [Denis & Schiffermüller],1775; nitens Fourcroy,1785; aeneana Villers,1789; putaminana Staudinger,1859 Provinces in Turkey: 01 05 08 16 24 25 27 32 34 36 42 45 46 51 65 71
- 191. Cydia pyrivora Danilevsky,1947 <u>Synonym(s):</u> pyrivora Danilevsky,1947; dannehli Obraztsov,1950 <u>Provinces in Turkey:</u> 14 71
- 192. Cydia selenana (Zeller,1847) Synonym(s): selenana Zeller,1847
- 193. Cydia selliferana (Kennel,1901) <u>Synonym(s):</u> selliferana Kennel,1901

 <u>Provinces in Turkey:</u> 31

- 194. Cydia sinana (C.Felder & Rogenhofer,1875) Synonym(s): sinana C.Felder & Rogenhofer,1875
- 195. Cydia strobilella (Linnaeus,1758) Synonym(s): strobilella Linnaeus,1758; strobilana Hübner,[1799]; kollarana Treitschke,1829 Provinces in Turkey: 34
- 196. Cydia succedana ([Denis & Schiffermüller],1775) Synonym(s): succedana [Denis & Schiffermüller],1775; asseclana Hübner,[1800] nec [Den. & Schiff.],1775; griseana Osthelder,1938 Provinces in Turkey: 05 14 16 48 71
- 197. Cydia triangulella (Goeze,1783) Synonym(s): triangulella Goeze,1783; bicolorata Fourcroy,1785; splendana Hübner,[1799]; glandella Schrank,1802; reaumurana Heyden,1860 Provinces in Turkey: 14 16 34 42 71 81
- 198. Cydia turcianae Chambon,1993 Synonym(s): turcianae Chambon,1993
- 199. Cydia ulicetana (Haworth,[1811]) Synonym(s): ulicetana Haworth,[1811]; consequana Zeller,1847; micaceana Constant,1865. Provinces in Turkey: 03 06 46
- **200. Diceratura ostrinana (Guenée,1845)** <u>Synonym(s): ostrinana Guenée,1845;</u> purpuratana Herrich-Schäffer,[1851]. <u>Provinces in Turkey:</u> 16 46
- 201. Diceratura rhodograpta Djakonov,1929 Synonym(s): rhodograpta

 Djakonov,1929 Provinces in Turkey: 05 06 33 42
- 202. Diceratura roseofasciana (Mann,1855) Synonym(s): roseofasciana Mann,1855; aequana Caradja,1916; keredjana Razowski,1963. Provinces in Turkey: 01 05 06 16 42 46
- 203. Dichelia alexiana (Kennel,1919) <u>Synonym(s):</u> alexiana Kennel,1919

 Provinces in Turkey: 31
- **204. Dichelia cedricola (Diakonoff,1974)** Synonym(s): cedricola Diakonoff,1974 Provinces in Turkey: 32
- **205. Dichelia histrionana (Frölich,1828)** Synonym(s): pinana [Denis & Schiffermüller],1775; histrionana Frölich,1828; stygiana Rebel,1929 Provinces in Turkey: 14
- 206. Dichrorampha acuminatana (Lienig & Zeller,1846) Synonym(s): acuminatana Lienig & Zeller,1846; cochylana Peyerimhoff,1863; graminana Peyerimhoff,1870 Provinces in Turkey: 16

- **207. Dichrorampha agilana (Tengström,1848)** <u>Synonym(s):</u> *agilana Tengström,1848* Provinces in Turkey: 05
- **208.** Dichrorampha alpinana (Treitschke,1830) Synonym(s): alpinana Treitschke,1830; quaestionana Zeller,1878 Provinces in Turkey: 05
- 209. Dichrorampha caucasica (Danilevsky,1948) Synonym(s): caucasica

 Danilevsky,1948 Provinces in Turkey: 76
- **210.** Dichrorampha cinerosana (Herrich-Schäffer,1851) Synonym(s): cinerosana Herrich-Schäffer,1851; eurychorana Rebel,1941
- 211. Dichrorampha coniana Obraztsov,1953 Synonym(s): coniana Obraztsov,1953 Provinces in Turkey: 42
- 212. Dichrorampha eximia (Danilevsky,1948) Synonym(s): eximia Danilevsky,1948; obraztsovi Amsel,1959 Provinces in Turkey: 71
- 213. Dichrorampha gruneriana (Herrich-Schäffer,1851) Synonym(s): gruneriana Herrich-Schäffer,1851 Provinces in Turkey: 05
- 214. Dichrorampha ligulana (Herrich-Schäffer,1851) Synonym(s): ligulana Herrich-Schäffer,1851; plusiana Staudinger,1871; obliterana Müller-Rutz,1934 Provinces in Turkey: 65
- 215. Dichrorampha petiverella (Linnaeus,1758) Synonym(s): petiverella Linnaeus,1758; albinella Linnaeus,1758; dorsana Fabricius,1775; jacquiniana [Denis & Schiffermüller],1775; petiverana Haworth,1809; stelliferana Curtis,1831; gigantana Staudinger,1879 Provinces in Turkey: 05 16 35 48
- 216. Dichrorampha plumbagana (Treitschke,1830) Synonym(s): plumbagana Treitschke,1830; salicetana Prittwitz,1844; subsequana Wocke,1871 Provinces in Turkey: 05
- **217. Dichrorampha plumbana (Scopoli,1763)** Synonym(s): plumbana Scopoli,1763; saturnana Guenée,1845; ulicana Guenée,1845; blepharana Herrich-Schäffer,1851; rejectana La Harpe,1858; resplendana Heinemann,1863 Provinces in Turkey: 16
- 218. Dichrorampha proxima (Danilevsky,1948) Synonym(s): proxima

 Danilevsky,1948 Provinces in Turkey: 76
- 219. Dichrorampha sequana (Hübner,[1799]) Synonym(s): sequana Hübner,[1799]

 Provinces in Turkey: 71

- **220. Dichrorampha vancouverana McDunnough,1935** <u>Synonym(s):</u> *politana auct.; vancouverana McDunnough,1935; gueneeana Obraztsov,1953*
- 221. Ditula angustiorana (Haworth,[1811]) Synonym(s): angustiorana Haworth,[1811]; rotundana Haworth,[1811]; dumeriliana Duponchel,1836

 Provinces in Turkey: 16
- 222. Eana (Eutrachia) goiiana (Linnaeus,1761) Synonym(s): #argentana Clerck,1759; goiiana Linnaeus,1761; govana Fabricius,1775; argyria Retzius,1783; gerningiana Villers,1789; margaritalis Hübner,1790; magnana Hübner,[1813]; georgiella Hulst,1887 Provinces in Turkey: 05 14 18 38
- 223. Eana (s.str.) incanana (Stephens,1852) Synonym(s): incanana Stephens,1852; sinuana Stephens,1852; infuscana Réal,1953 Provinces in Turkey: 14
- **224.** Eana (s.str.) penziana (Thunberg,1791) Synonym(s): penziana Thunberg,1791; bellana Curtis,1826; diurneana Guenée,1845; alpestris Réal,1953 Provinces in Turkey: 14
- **225.** Enarmonia formosana (Scopoli,1763) Synonym(s): formosana Scopoli,1763; woeberiana [Denis & Schiffermüller],1775; scriptana Thunberg,1784; ornatana Hübner,[1799].
- **226.** Endothenia ericetana (Humphreys & Westwood,1845) Synonym(s): ericetana Humphreys & Westwood,1845; trifoliana Herrich-Schäffer,[1851]. Provinces in Turkey: 16
- **227.** Endothenia gentianaeana (Hübner,[1799]) Synonym(s): ? bidella Fourcroy,1785; gentianaeana Hübner,[1799]; gentianana Hübner,[1825]; oblongana Haworth,[1811]; sellana Frölich,1828; desertana Staudinger,1879; adelana Rebel,1892. Provinces in Turkey: 05 16 51
- **228.** Endothenia lapideana (Herrich-Schäffer,[1851]) Synonym(s): lapideana Herrich-Schäffer,[1851]; digitaliana Mühlig,1863 Provinces in Turkey: 16
- 229. Endothenia marginana (Haworth,[1811]) Synonym(s): marginana Haworth,[1811] Provinces in Turkey: 14 81
- 230. Endothenia nigricostana (Haworth,[1811]) <u>Synonym(s):</u> nigricostana Haworth,[1811]; squalidana Herrich-Schäffer,[1851]; remyana Herrich-Schäffer,[1851]; illepidana Kennel,1901. <u>Provinces in Turkey:</u> 01 46

- 231. Endothenia oblongana (Haworth,[1811]) Synonym(s): oblongana Haworth,[1811]; sellana Frölich,1828. Provinces in Turkey: 16 42 46
- **232.** Endothenia quadrimaculana (Haworth,1811) <u>Synonym(s):</u> quadrimaculana Haworth,1811; antiguana Hübner,[1813]; obesana Peyerimhoff,1863
- **233.** Endothenia sororiana (Herrich-Schäffer,[1851]) Synonym(s): #sororiana Herrich-Schäffer,[1850]; sororiana Herrich-Schäffer,[1851]; phlomidana Staudinger,1871. Provinces in Turkey: 05
- **234.** Epagoge grotiana (Fabricius,1781) Synonym(s): grotiana Fabricius,1781; flavana Hübner,[1799]; ochreana Hübner,[1799]; artificana Herrich-Schäffer,1851; amasiana Caradja,1916. Provinces in Turkey: 03 05 16 34 38
- 235. Epiblema costipunctana (Haworth,[1811]) Synonym(s): costipunctana Haworth,[1811]; argyrana Stephens,1829; trigeminana Stephens,1834; poecilana Guenée,1845; ravulana Herrich-Schäffer,1851 Provinces in Turkey: 16 71
- **236. Epiblema foenella (Linnaeus,1758)** Synonym(s): foenella Linnaeus,1758; hohenwartiana Scopoli,1772; scopoliana [Denis & Schiffermüller],1775; pflugiana Fabricius,1787; tibialana Hübner,[1793]; interrogationana Donovan,1793; clavigerana Walker,1863; sinicana Walker,1863
- 237. Epiblema gammana (Mann,1866) Synonym(s): gammana Mann,1866

 Provinces in Turkey: 03
- 238. Epiblema graphana (Treitschke,1835) Synonym(s): graphana Treitschke,1835; pierretana Duponchel,1836 Provinces in Turkey: 05 71
- 239. Epiblema hepaticana (Treitschke,1835) Synonym(s): hepaticana Treitschke,1835; senecionana Staudinger,1871; tristana Hauder,1918 Provinces in Turkey: 16
- **240.** Epiblema junctana (Herrich-Schäffer,1856) Synonym(s): junctana Herrich-Schäffer,1856; jaspidana Christoph,1872; maculiferana Kennel,1900
- **241.** Epiblema obscurana (Herrich-Schäffer,1851) Synonym(s): obscurana Herrich-Schäffer,1851; inulivora Meyrick,1932.
- **242.** Epiblema scutulana ([Denis & Schiffermüller],1775) Synonym(s): scutulana [Denis & Schiffermüller],1775; luctuosana Duponchel,1836; novana Guenée,1845; alsaticana Peyerimhoff,1872 Provinces in Turkey: 16 51

- **243.** Epiblema sticticana (Fabricius,1794) Synonym(s): sticticana Fabricius,1794; farfarae Fletcher,1938.
- **244.** Epiblema turbidana (Treitschke,1835) <u>Synonym(s):</u> turbidana Treitschke,1835; zelleriana Schläger,1848
- 245. Epinotia abbreviana (Fabricius,1794) Synonym(s): abbreviana Fabricius,1794; trimaculana Donovan,1806; ulmariana Duponchel,[1843]; excruciana Stephens,1852 Provinces in Turkey: 71
- 246. Epinotia brunnichiana (Linnaeus,1767) Synonym(s): brunnichiana Linnaeus,1767; sinuana [Denis & Schiffermüller],1775; rhenana Thunberg & Becklin,1791 Provinces in Turkey: 16
- **247.** Epinotia cruciana (Linnaeus,1761) Synonym(s): cruciana Linnaeus,1761; gyllenhahliana Thunberg,1784; augustana Hübner,[1813]; viminana Guenée,1845; alticolana Stephens,1852
- 248. Epinotia dalmatana (Rebel,1891) Synonym(s): dalmatana Rebel,1891; psychrodora Meyrick,1936; mesopotamica Obraztsov,1952; obraztsovi Agenjo,1967

 Provinces in Turkey: 06
- **249. Epinotia deruptana (Kennel,1901)** <u>Synonym(s):</u> <u>deruptana Kennel,1901</u>

 <u>Provinces in Turkey: 01</u>
- 250. Epinotia festivana (Hübner,[1799]) Synonym(s): festivana Hübner,[1799]

 Provinces in Turkey: 05 06 14 16 46 65 71
- **251.** Epinotia fraternana (Haworth,[1811]) Synonym(s): fraternana Haworth,[1811]; proximana Herrich-Schäffer,1851; distinctana Wilkinson,1859; concretana Peyerimhoff,1863 Provinces in Turkey: 14
- **252.** Epinotia immundana (Fischer v. Röslerstamm,1839) Synonym(s): immundana Fischer v. Röslerstamm,1839 Provinces in Turkey: 71
- 253. Epinotia kochiana Herrich-Schäffer,[1851] Synonym(s): kochiana Herrich-Schäffer,[1851] Provinces in Turkey: 05 16
- **254.** Epinotia nemorivaga (Tengström,1848) <u>Synonym(s):</u> nemorivaga Tengström, 1848; rhododendrana Herrich-Schäffer, 1851; finitimana Doubleday, 1859 <u>Provinces in Turkey: 61</u>
- 255. Epinotia nigricana (Herrich-Schäffer,[1851]) Synonym(s): nigricana Herrich-Schäffer,[1851]; suasana Peyerimhoff,1863 Provinces in Turkey: 14

- 256. Epinotia nisella (Clerck,1759) Synonym(s): nisella Clerck,1759; boeberana Fabricius,1787; pavonana Donovan,1804; cuspidana Haworth,1811; rhombifasciana Haworth,1811; stictana Haworth,1811; cinereana Haworth,1811; nisana Guenée,1845 Provinces in Turkey: 41
- **257.** Epinotia ramella (Linnaeus,1758) Synonym(s): ramella Linnaeus,1758; paykulliana Fabricius,1787; sesquilunana Haworth,1811; ramama Frölich,1828; costana Duponchel,1836
- **258.** Epinotia solandriana (Linnaeus,1758) <u>Synonym(s)</u>: solandriana Linnaeus,1758; trapezana Fabricius,1787; semimaculana Hübner,1793; parmatana Hübner,[1817]; semilunana Frölich,1828
- **259. Epinotia tenerana ([Denis & Schiffermüller],1775)** Synonym(s): tenerana [Denis & Schiffermüller],1775; retusana Haworth,1811; oblitana Duponchel,1842
- **260.** Epinotia tetraquetrana (Haworth,1811) <u>Synonym(s):</u> tetraquetrana Haworth,1811; triquetrana Haworth,1811; angulana Haworth,1811; frutetana Hübner,[1824]
- 261. Epinotia thapsiana (Zeller,1847) Synonym(s): thapsiana Zeller,1847

 Provinces in Turkey: 03 05 16 35 45 46 71
- **262.** Eriopsela quadrana (Hübner,[1813]) Synonym(s): quadrana Hübner,[1813]; strigulosana Zetterstedt,1839; abiskoana Caradja,1916; roseni Obraztsov,1952; bavarica Obraztsov,1952
- 263. Eucosma agnatana (Christoph,1872) Synonym(s): agnatana Christoph,1872

 Provinces in Turkey: 05 42
- 264. Eucosma albidulana (Herrich-Schäffer,[1851]) Synonym(s): albidulana Herrich-Schäffer,[1851] Provinces in Turkey: 46
- **265.** Eucosma aspidiscana (Hübner,[1817]) Synonym(s): aspidiscana Hübner,[1817] Provinces in Turkey: 05
- **266.** Eucosma cana (Haworth,1811) Synonym(s): marmorana Fabricius,1798; cana Haworth,1811; monetulana Hübner,[1817]; carduana Guenée,1845; subvittana Staudinger,1892. Provinces in Turkey: 14 76
- 267. Eucosma coagulana (Kennel,1901) <u>Synonym(s):</u> coagulana Kennel,1901

 Provinces in Turkey: 46 76

- 268. Eucosma conformana (Mann,1872) Synonym(s): conformana Mann,1872; umbratana Staudinger,1880; significantana Kennel,1901. Provinces in Turkey: 05 15 16 21 32
- **269.** Eucosma conterminana (Guenée, 1845) Synonym(s): conterminana Guenée, 1845
- 270. Eucosma directa Meyrick,1912 Synonym(s): directa Meyrick,1912
- 271. Eucosma eremodora Meyrick,1932 Synonym(s): eremodora Meyrick,1932
- **272.** Eucosma fulvana (Stephens,1834) Synonym(s): fulvana Stephens,1834

 Provinces in Turkey: 46
- 273. Eucosma gypsatana (Kennel,1921) Synonym(s): gypsatana Kennel,1921

 Provinces in Turkey: 06 42
- **274.** Eucosma hohenwartiana ([Denis & Schiffermüller],1775) Synonym(s): hohenwartiana [Denis & Schiffermüller],1775
- 275. Eucosma metzneriana (Treitschke,1830) Synonym(s): metzneriana Treitschke,1830
- 276. Eucosma paetulana (Kennel,1901) Synonym(s): paetulana Kennel,1901

 Provinces in Turkey: 42
- 277. Eucosma pupillana (Clerck,1759) Synonym(s): pupillana Clerck,1759
- 278. Eucosma recentana (Zerny,1933) Synonym(s): recentana Zerny,1933

 Provinces in Turkey: 71
- 279. Eucosma sparsana (Rebel,1935) Synonym(s): sparsana Rebel,1935 Provinces
 in Turkey: 06
- 280. Eucosma tetraplana (Möschler,1866) Synonym(s): tetraplana Möschler,1866

 Provinces in Turkey: 46 76
- 281. Eucosma urbana (Kennel,1901) <u>Synonym(s):</u> urbana Kennel,1901 <u>Provinces</u> in Turkey: 05
- 282. Eudemis (s.str.) porphyrana (Hübner,[1799]) Synonym(s): porphyrana Hübner,[1799]; pomedaxana Pierce & Metcalfe,1915 Provinces in Turkey: 65
- **283.** Eudemis (s.str.) profundana ([Denis & Schiffermüller],1775) Synonym(s): profundana [Denis & Schiffermüller],1775; triangulella Goeze,1783; nebulana Donovan,1806; aethiopiana Haworth,1811; wellesiana Hübner,[1813]; alphonsiana

- Duponchel,1834; #obscurata Gibeaux & Luquet,1998; #satans Gibeaux & Luquet,1998 Provinces in Turkey: 34
- **284.** Eudemopsis purpurissatana (Kennel,1901) <u>Synonym(s):</u> purpurissatana Kennel,1901 <u>Provinces in Turkey: 01</u>
- 285. Eugnosta lathoniana (Hübner,[1800]) Synonym(s): lathoniana Hübner,[1800]

 Provinces in Turkey: 06 16 31 42
- 286. Eugnosta magnificana (Rebel,1914) Synonym(s): margaritana Hübner,[1813] nec Haw.,[1811]; ? norvichiana Hübner,[1817] [nomina dubia!]; magnificana Rebel,1914. Provinces in Turkey: 06 13 42 71
- **287.** Eupoecilia ambiguella (Hübner,1796) Synonym(s): ambiguella Hübner,1796; omphaciella Faure-Bignet de Simonest,1801; roserana Frölich,1828; turbinaris Meyrick,1928 Provinces in Turkey: 05 16
- **288.** Eupoecilia angustana (Hübner,[1799]) Synonym(s): angustana Hübner,[1799]; fasciella Donovan,1808 nec Goeze,1783; cruentana Herrich-Schäffer,[1851]. Provinces in Turkey: 16
- **289.** Falseuncaria ruficiliana (Haworth,[1811]) Synonym(s): ciliella Hübner,[1796] nec [Denis & Schiff.],1775; ruficiliana Haworth,[1811]; coniana Fuchs,1903; tectana Fuchs,1903. Provinces in Turkey: 42
- 290. Fulvoclysia aulica Razowski,1968 <u>Synonym(s)</u>: aulica Razowski,1968.

 Provinces in Turkey: 76
- 291. Fulvoclysia dictyodana (Staudinger,1879) Synonym(s): dictyodana
 Staudinger,1879 Provinces in Turkey: 05
- **292. Fulvoclysia nerminae Koçak,1982** Synonym(s): fulvana Fischer von Rösslerstamm,[1836] nec [Denis & Schiff.],1775; nerminae Koçak,1982.

 Provinces in Turkey: 05
- 293. Fulvoclysia pallorana (Lederer,1864) Synonym(s): pallorana Lederer,1864; armeniaca Obraztsov,1943. Provinces in Turkey: 29 46
- 294. Fulvoclysia proxima Razowski,1970 <u>Synonym(s):</u> proxima Razowski,1970 <u>Provinces in Turkey: 06 14</u>
- 295. Fulvoclysia subdolana (Kennel,1901) [Frontispiece] Synonym(s): subdolana Kennel,1901; subflavana Amsel,1959 Provinces in Turkey: 01 46 65 73 76

- **296. Grapholita caecana (Schläger,1847) Synonym(s)**: *caecana Schläger,1847; obcaecana Ragonot,1876* Provinces in Turkey: 05 16 42 46 71
- 297. Grapholita compositella (Fabricius,1775) Synonym(s): compositella Fabricius,1775; quadrella Goeze,1783; quadratella Fourcroy,1785; composana Fabricius,1798; gundiana Hübner,[1799]; compositana Haworth,1802; simillimana Toll,1953 Provinces in Turkey: 05 06 16
- **298.** Grapholita coronillana (Lienig & Zeller,1846) Synonym(s): ? turcica Fourcroy,1785; coronillana Lienig & Zeller,1846; moldovana Caradja,1899

 Provinces in Turkey: 05
- 299. Grapholita delineana (Walker,1863) Synonym(s): delineana Walker,1863; apicatana Walker,1863; sinana Felder,1874; tetragrammana Staudinger,1879; mundana Christoph,1881; terstrigana Ragonot,1894; quadristrana Walsingham,1900. Provinces in Turkey: 16
- 300. Grapholita difficilana (Walsingham,1900) Synonym(s): difficilana Walsingham, 1900; difficilana Kennel, 1901 Provinces in Turkey: 46
- 301. Grapholita fissana (Frölich,1828) Synonym(s): fissana Frölich,1828; divisana Duponchel,1836; diffusana Herrich-Schäffer,1851
- 302. Grapholita funebrana (Treitschke,1835) Synonym(s): funebrana
 Treitschke,1835; cerasana Kozhantschikov,1953 Provinces in Turkey: 16
- 303. Grapholita gemmiferana (Treitschke,1835) <u>Synonym(s)</u>: gemmiferana Treitschke,1835; olbienana Guenée,1845 <u>Provinces in Turkey</u>: 16
- 304. Grapholita janthinana (Duponchel,1843) Synonym(s): janthinana Duponchel,1843; incisana Herrich-Schäffer,1851 Provinces in Turkey: 16
- 305. Grapholita junctistrigana (Walsingham,1900) Synonym(s): junctistrigana Walsingham,1900
- 306. Grapholita jungiella (Linnaeus,1761) Synonym(s): #jungiella Clerck,1759; jungiella Linnaeus,1761; perlepidana Haworth,[1811]; jungiana Fröhlich,1828; schrankiana Fröhlich,1828; albisecundella Bruand,1850. Provinces in Turkey: 16
- **307. Grapholita lunulana ([Denis & Schiffermüller],1775)** <u>Synonym(s):</u> *lunulana* [Denis & Schiffermüller],1775; mederleana Fröhlich,1828

- **308.** Grapholita nebritana (Treitschke,1830) Synonym(s): nebritana Treitschke,1830 Provinces in Turkey: 71
- 309. Grapholita orobana (Treitschke,1830) Synonym(s): orobana Treitschke,1830; strandiana Fuhcs,1901; persicana Osthelder,1938 Provinces in Turkey: 05 06 16 35 49
- 310. Grapholita pallifrontana (Lienig & Zeller,1846) Synonym(s): ? elegantana Fröhlich,1828; pallifrontana Lienig & Zeller,1846; filana Herrich-Schäffer,1851

 Provinces in Turkey: 05 16
- 311. Grapholita tenebrosana (Duponchel,1843) Synonym(s): tenebrosana Duponchel,1843; roseticolana Zeller,1849 Provinces in Turkey: 05
- 312. Gravitarmata margarotana (Heinemann, 1863) Synonym(s): margarotana Heinemann, 1863; amethystana Peyerimhoff, 1872; retiferana Wocke, 1879

 Provinces in Turkey: 34
- 313. Gynnidomorpha permixtana ([Denis & Schiffermüller],1775) Synonym(s):

 permixtana [Denis & Schiffermüller],1775; antennana Frölich,1828; mussehliana

 Treitschke,1835; dymotana Treitschke,1835.

 Provinces in Turkey: 16
- 314. Gypsonoma aceriana (Duponchel,1843) Synonym(s): aceriana Duponchel,1843

 Provinces in Turkey: 42 46
- 315. Gypsonoma dealbana (Frölich,1828) Synonym(s): dealbana Frölich,1828; alnetana Guenée,1845 Provinces in Turkey: 10 41 71
- 316. Gypsonoma euphraticana (Amsel,1935) Synonym(s): euphraticana Amsel,1935
- 317. Gypsonoma minutana (Hübner,[1799]) Synonym(s): minutana Hübner,[1799]; vermiculana Duponchel,1836 Provinces in Turkey: 15 32 42 71
- **318. Gypsonoma nitidulana (Lienig & Zeller,1846)** <u>Synonym(s):</u> *nitidulana Lienig & Zeller,1846; #ericetana Lienig & Zeller,1846* Provinces in Turkey: 34
- 319. Gypsonoma obraztsovi Amsel,1959 <u>Synonym(s): obraztsovi Amsel,1959</u>

 <u>Provinces in Turkey:</u> 81
- 320. Gypsonoma simulantana (Staudinger,1879) Synonym(s): simulantana Staudinger,1879 Provinces in Turkey: 05
- **321. Gypsonoma sociana (Haworth,[1811])** <u>Synonym(s):</u> *sociana Haworth,[1811]; neglectana Duponchel,1844* Provinces in Turkey: 71

- 322. Hedya dimidiana (Clerck,1759) <u>Synonym(s)</u>: #dimidiana Clerck,1759; schreberiana Linnaeus,1761 Provinces in Turkey: 05 61
- 323. Hedya nubiferana (Haworth,[1811]) Synonym(s): dimidioalba Retzius,1783; variegana Hübner,[1799] nec [Denis & Schiff.],1775; nubiferana Haworth,[1811] Provinces in Turkey: 03 06 14 15 17 22 32 34 42 71
- 324. Hedya ochroleucana (Frölich,1828) Synonym(s): ochroleucana Frölich,1828; nimbatana Clemens,1860; contrariana Walker,1863; consanguinana Walsingham,1879 Provinces in Turkey: 16
- **325. Hedya pruniana** (**Hübner,[1799]**) <u>Synonym(s):</u> *pruniana Hübner,[1799]; pruneticolana Zeller,1849* <u>Provinces in Turkey:</u> 03 05 14 16 27 33 42 45 46 71 81
- **326. Hedya salicella (Linnaeus,1758)** <u>Synonym(s):</u> *salicella Linnaeus,1758; salicana* [Denis & Schiffermüller],1775 Provinces in Turkey: 06 42 71 75
- 327. Hysterophora maculosana (Haworth,[1811]) Synonym(s): maculosana Haworth,[1811]; purgatana Treitschke,1835; porculana Mann,1862. Provinces in Turkey: 05 16 71
- 328. Isotrias hybridana (Hübner,[1817]) Synonym(s): cingulana Scopoli,1772; hybridana Hübner,[1817]; puellana Frölich,1828; pedemontana Staudinger,1871; fingalana Millière,1884; castiliana Ragonot,1894 Provinces in Turkey: 06 16
- 329. Isotrias rectifasciana (Haworth,[1811]) <u>Synonym(s):</u> trifasciana Donovan,[1806] (praeocc.); rectifasciana Haworth,[1811]; nemorana Frölich,1828; curvifasciana Stephens,1834; albulana Treitschke,1835; insubrica Müller-Rutz,1920; pseudomodestana Obraztsov,1957
- 330. Kenneliola fagiglandana (Zeller,1841) Synonym(s): grossana Haworth,[1811] nec Thunb.,1791; fagiglandana Zeller,1841. Provinces in Turkey: 14 34 46 71 81
- 331. Kenneliola molybdana Constant, 1884 Synonym(s): molybdana Constant, 1884
- 332. Lathronympha strigana (Fabricius,1775) Synonym(s): strigana Fabricius,1775; politana [Denis & Schiffermüller],1775; hypericana Hübner,[1799]. Provinces in Turkey: 14 16 33 38
- **333.** Lipoptycha grueneriana Herrich-Schäffer,[1851] Synonym(s): grueneriana Herrich-Schäffer,[1851]

- 334. Lobesia (s.str.) artemisiana (Zeller,1847) Synonym(s): artemisiana Zeller,1847; trifasciana Herrich-Schäffer,1851; amaryllana Millière,1876

 Turkey: 05 16
- 335. Lobesia (s.str.) attributana (Kennel,1901) <u>Synonym(s):</u> attributana Kennel,1901 <u>Provinces in Turkey:</u> 46
- 336. Lobesia (s.str.) bicinctana (Duponchel,1844) Synonym(s): bicinctana Duponchel,1844; lugdunana Guenée,1845
- 337. Lobesia (s.str.) cinerariae (Nolcken,1882) Synonym(s): cinerariae Nolcken,1882
- 338. Lobesia (s.str.) glebifera (Meyrick,1912) Synonym(s): glebifera Meyrick,1912

 Provinces in Turkey: 31
- 339. Lobesia (s.str.) indusiana (Zeller,1847) <u>Synonym(s):</u> indusiana Zeller,1847; staticeana Millière,1869; cognata Obraztsov,1949. <u>Provinces in Turkey:</u> 71
- 340. Lobesia (s.str.) littoralis (Westwood & Humphreys,1845) Synonym(s): littoralis Westwood & Humphreys,1845; venustana Douglas,1846; morbidana Doubleday,1850; hibernana Staudinger,1859; annetensis Turner,1934.
- **341. Lobesia (s.str.) porrectana (Zeller,1847)** Synonym(s): porrectana Zeller,1847 Provinces in Turkey: 15 46
- 342. Lobesia (s.str.) quaggana (Mann,1855) Synonym(s): quaggana Mann,1855; restinctana Turati,1913. Provinces in Turkey: 16
- 343. Lobesia (s.str.) reliquana (Hübner,[1825]) Synonym(s): reliquana Hübner,[1825]; leucopterana Frölich,1828; fischerana Treitschke,1835.
- 344. Lobesia (s.str.) subherculeana (Filipjev,1925) Synonym(s): subherculeana Filipjev,1925 Provinces in Turkey: 71
- 345. Lobesia (s.str.) vitisana (Jacquin,1788) Synonym(s): #botrana [Denis & Schiffermüller],1775; vitisana Jacquin,1788; rosmarinana Milliere,1865.

 Provinces in Turkey: 05 14 45 71
- 346. Lobesiodes euphorbiana (Freyer,1842) <u>Synonym(s)</u>: euphorbiana Freyer,1842 <u>Provinces in Turkey</u>: 33
- **347.** Lobesiodes occidentis Falkovitsh, 1970 Synonym(s): occidentis Falkovitsh, 1970
- 348. Lozotaenia djakonovi Danilevsky,1963 Synonym(s): djakonovi Danilevsky,1963
- 349. Lozotaenia forsterana (Fabricius, 1781) Synonym(s): forsterana (Fabricius, 1781)

- 350. Lozotaeniodes cupressana (Duponchel,1836) <u>Synonym(s):</u> cupressana Duponchel,1836 <u>Provinces in Turkey:</u> 16
- 351. Metendothenia atropunctana (Zetterstedt,1839) Synonym(s): atropunctana Zetterstedt,1839; ochromelana Guenée,1845 Provinces in Turkey: 05 14 81
- **352.** Neosphaleroptera nubilana (Hübner,[1799]) Synonym(s): ? alniana [Denis & Schiffermüller],1775; nubilana Hübner,[1799]; glareana Schrank,1802; perfuscana Haworth,1811; conradii Portshinkij,1888 Provinces in Turkey: 03 05 15 71
- 353. Notocelia aquana (Hübner,[1799]) Synonym(s): #roborana [Denis & Schiffermüller],1775; aquana Hübner,[1799]. Provinces in Turkey: 03 06 14 42 71 81
- 354. Notocelia cynosbatella (Linnaeus, 1758) Synonym(s): cynosbatella Linnaeus.1758: cynosbana Fabricius, 1775; tripunctana [Denis & Schiffermüller],1775; #cynobatella Razowski,1966; damascena Tuleskov & Provinces in Turkey: 05 14 16 42 Nikolova, 1967.
- 355. Notocelia incarnatana (Hübner,[1800]) <u>Synonym(s):</u> incarnatana Hübner,[1800]; amoenana Hübner,[1817]. <u>Provinces in Turkey: 05 14</u>
- 356. Notocelia trimaculana (Haworth,[1811]) Synonym(s): trimaculana Haworth,[1811]; suffusana Duponchel,1843. Provinces in Turkey: 03 06 14 16 46
- 357. Notocelia uddmanniana (Linnaeus,1758) Synonym(s): uddmanniana Linnaeus,1758 Provinces in Turkey: 01 05 06 14 16 21 46 53 81
- 358. Olethreutes (Argyroploce) delitana (Staudinger,1879) Synonym(s): delitana Staudinger,1879; laurentiana Kennel,1919; flava Kennel,1919. Provinces in Turkey: 01 05
- 359. Olethreutes (Argyroploce) ernestiana (Obratzsov,1961) Synonym(s): ernestiana Obratzsov,1961 Provinces in Turkey: 42
- 360. Olethreutes (Argyroploce) lacunana ([Denis & Schiffermüller],1775)

 Synonym(s): lacunana [Denis & Schiffermüller],1775; herbana Guenée,1845

 Provinces in Turkey: 14 16 81
- 361. Olethreutes (Argyroploce) metallicana (Hübner,[1799]) Synonym(s): metallicana Hübner,[1799]; metallana Frölich,1828 Provinces in Turkey: 34

- 362. Olethreutes (Argyroploce) pfeifferiana (Obraztsov,1961) Synonym(s): pfeifferiana Obraztsov,1961 Provinces in Turkey: 46
- 363. Olethreutes (Argyroploce) stibiana (Guenée,1845) Synonym(s): stibiana Guenée,1845; sibirana Caradja,1916; fluviana Kennel,1919. Provinces in Turkey: 05 06 58
- 364. Olethreutes (s.str.) arcuana (Linnaeus,1761) Synonym(s): #arcuella Clerck,1759; arcuana Linnaeus,1761; lambergiana Scopoli,1763. Provinces in Turkey: 14 16 34 52 81
- 365. Olethreutes (s.str.) obsoletana (Zetterstedt,1839) Synonym(s): obsoletana Zetterstedt,1839; nebulosana Zetterstedt,1839; schoenerrhana Guenée,1845; sudetana Standfuss,1846; irriguana Herrich-Schäffer,1856 Provinces in Turkey: 34
- 366. Olethreutes (s.str.) umbrosana (Freyer,1842) Synonym(s): umbrosana Freyer,1842 Provinces in Turkey: 16
- **367. Olindia schumacherana (Fabricius,1787)** Synonym(s): schumacherana Fabricius,1787; ulmana Hübner,[1823]; areolana Hübner,[1823]; obscurana Burmann,1949; cruciana Burmann,1949.
- 368. Orthotaenia undulana ([Denis & Schiffermüller],1775) Synonym(s): undulana [Denis & Schiffermüller],1775; urticana Hübner,1796; campestrana Zeller,1875; dilutifuscana Walsingham,1879 Provinces in Turkey: 16
- 369. Oxypteron impar Staudinger, 1871 Synonym(s): impar Staudinger, 1871
- 370. Oxypteron palmoni (Amsel,1940) Synonym(s): palmoni Amsel,1940
- 371. Pammene albuginana (Guenée,1845) Synonym(s): albuginana Guenée,1845; reisseri Rebel,1937 Provinces in Turkey: 71
- 372. Pammene amygdalana (Duponchel,1842) Synonym(s): amygdalana Duponchel,1842
- 373. Pammene blockiana (Herrich-Schäffer,[1851]) Synonym(s): ? blockiella Rossi,1794; blockiana Herrich-Schäffer,[1851]; cupressana Zerny,1927

 Provinces in Turkey: 33
- 374. Pammene fasciana (Linnaeus,1761) Synonym(s): fasciana Linnaeus,1761; trinotata Frölich,1828; juliana Curtis,1836; nimbana Herrich-Schäffer,1851; herrichiana Heinemann,1854 Provinces in Turkey: 71

- 375. Pammene gallicolana (Lienig & Zeller,1846) Synonym(s): gallicolana Lienig & Zeller,1846 Provinces in Turkey: 71
- 376. Pammene germmana (Hübner,[1799]) Synonym(s): germmana Hübner,[1799]; stagnana Hübner,[1799]; atropurpurana Haworth,[1811]; germarana Hübner,[1825]; puncticostana Stephens,1834; immaculana Guenée,1845; fulvifrontana Zeller,1849
- 377. Pammene insulana (Guenée,1845) <u>Synonym(s)</u>: insulana Guenée,1845; motacillana Zeller,1847; stragulana Tengström,1848; ovulana Tengström,1848.

 <u>Provinces in Turkey:</u> 16
- 378. Pammene luedersiana (Sorhagen, 1885) Synonym(s): luedersiana Sorhagen, 1885
- 379. Pammene mariana (Zerny,1920) Synonym(s): mariana Zerny,1920; pontica Obraztsov,1960 Provinces in Turkey: 16 71
- 380. Pammene nigritana (Mann,1862) <u>Synonym(s):</u> nigritana Mann,1862 Provinces in Turkey: 16
- 381. Pammene ochsenheimeriana (Lienig & Zeller,1846) Synonym(s): ?panzerana Frölich,1828; ochsenheimeriana Lienig & Zeller,1846; loxiana Herrich-Schäffer,1851; luctiferana Herrich-Schäffer,1851 Provinces in Turkey: 16
- 382. Pammene pullana Kuznetsov,1986 Synonym(s): pullana Kuznetsov,1986

 Provinces in Turkey: 46
- 383. Pammene regiana (Zeller, 1849) Synonym(s): regiana Zeller, 1849
- **384. Pammene rhediella (Linnaeus,1761)** Synonym(s): #rhediella Clerck,1759; rhediella Linnaeus,1761; daldorfana Fabricius,1787; dimidiana Donovan,[1804]; rhediana Hübner,[1825]; parvulana Frölich,1828 Provinces in Turkey: 05 16
- **385. Pammene splendidulana (Guenée,1845)** Synonym(s): strobilana Haworth,1811; splendidulana Guenée,1845; plumbatana Lienig & Zeller,1846; suberana Constant,1895
- **386. Pammene trauniana ([Denis & Schiffermüller],1775)** Synonym(s): trauniana [Denis & Schiffermüller],1775; floricolana Frölich,1828; notata Westwood,1845; conjugana Zeller,1849
- 387. Pandemis cerasana (Hübner,1786) <u>Synonym(s):</u> cerasana Hübner,1786

 Provinces in Turkey: 14 16 81

- **388. Pandemis chondrillana (Herrich-Schäffer,1860)** Synonym(s): chondrillana Herrich-Schäffer,1860; praefloratana Kennel,1901; laurana Kennel,1919; elsana Kennel,1919; eulogiana Kennel,1919; #unicolor Obraztsov,1943.
- 389. Pandemis dumetana (Treitschke,1835) Synonym(s): dumetana Treitschke,1835

 Provinces in Turkey: 34
- 390. Pandemis heparana ([Denis & Schiffermüller],1775) Synonym(s): heparana [Denis & Schiffermüller],1775 Provinces in Turkey: 14 34 81
- 391. Paramesia gnomana (Clerck,1759) Synonym(s): #gnomana Clerck,1759; costana [Denis & Schiffermüller],1775; livoniana Sodoffsky,1829 Provinces in Turkey: 14
- **392. Pelochrista agrestana (Treitschke,1830)** <u>Synonym(s):</u> *agrestana Treitschke,1830; fultana Zeller,1847* Provinces in Turkey: 16
- 393. Pelochrista arabescana (Eversmann, 1844) Synonym(s): arabescana

 Eversmann, 1844 Provinces in Turkey: 25 69
- 394. Pelochrista caecimaculana (Hübner,[1799]) Synonym(s): caecimaculana Hübner,[1799]; kollariana Herrich-Schäffer,[1851]

 42
- 395. Pelochrista hepatariana (Herrich-Schäffer,[1851]) Synonym(s): hepatariana Herrich-Schäffer,[1851]; obnuptana Herrich-Schäffer,[1851] Provinces in Turkey: 05 16
- 396. Pelochrista infidana (Hübner,[1824]) Synonym(s): infidana Hübner,[1824]; bulgarica Soffner,1967 Provinces in Turkey: 42
- 397. Pelochrista invisitana Kuznetsov,1986 Synonym(s): invisitana Kuznetsov,1986 Provinces in Turkey: 47
- 398. Pelochrista medullana (Staudinger,1880) Synonym(s): medullana Staudinger,1880 Provinces in Turkey: 01 05 14 16 33 35 46
- **399. Pelochrista modicana (Zeller,1847)** Synonym(s): modicana Zeller,1847; definitana Kennel,1901; hinnebergiana Fuchs,1902; modestana Herrich-Schäffer,[1851] Provinces in Turkey: 05 16
- **400. Pelochrista prefractana (Kennel,1901)** <u>Synonym(s):</u> *prefractana Kennel,1901* <u>Provinces in Turkey: 05</u>
- 401. Pelochrista seriana Kennel,1901 Synonym(s): seriana Kennel,1901

- 402. Periclepsis cinctana ([Denis & Schiffermüller],1775) Synonym(s): cinctana [Denis & Schiffermüller],1775 Provinces in Turkey: 16
- 403. Phalonidia acutana (Kennel,1913) Synonym(s): acutana Kennel,1913

 Provinces in Turkey: 05
- **404. Phalonidia albipalpana (Zeller,1847)** Synonym(s): albipalpana Zeller,1847 Provinces in Turkey: 42
- **405. Phalonidia amasiana (Ragonot,1894)** Synonym(s): amasiana Ragonot,1894 Provinces in Turkey: 05 46
- **406. Phalonidia contractana (Zeller,1847)** <u>Synonym(s):</u> *contractana Zeller,1847; manifestana Kennel,1900; exaequata Meyrick,1923; thermoconis Meyrick,1925.* <u>Provinces in Turkey:</u> 05 06 15 16 42 46 71
- **407. Phalonidia manniana (Fischer v. Röslerstamm,1839)** <u>Synonym(s):</u> *manniana Fischer v. Röslerstamm,1839; notulana Zeller,1847; udana Guenée,1845; tolli Razowski,1960.* Provinces in Turkey: 16 35 42 46
- 408. Phaneta pauperana (Duponchel,1843) Synonym(s): pauperana Duponchel,1843

 Provinces in Turkey: 71
- **409. Philedone gerningana ([Denis & Schiffermüller],1775)** Synonym(s): gerningana [Denis & Schiffermüller],1775; pectinana Hübner,[1799]. Provinces in Turkey: 16 41
- 410. Phtheochroa chalcantha (Meyrick,1912) Synonym(s): chalcantha Meyrick,1912

 Provinces in Turkey: 31
- 411. Phtheochroa decipiens (Walsingham,1900) Synonym(s): decipiens Walsingham,1900; rocharva Obraztsov,1943; berberidana Danilevsky,1955.

 Provinces in Turkey: 29
- 412. Phtheochroa duponchelana (Duponchel,1843) Synonym(s): duponchelana Duponchel,1843; duponcheliana Costa,1847; gloriosana Herrich-Schäffer,1851; syriaca Walsingham,1900 Provinces in Turkey: 01 06 16 31 42 65
- 413. Phtheochroa imitana Derra,1991 Synonym(s): imitana Derra,1991 Provinces
 in Turkey: 30
- 414. Phtheochroa larseni Huemer,1990 <u>Synonym(s)</u>: larseni Huemer,1990 <u>Provinces in Turkey</u>: 06

- **415. Phtheochroa osthelderi Huemer,1990** <u>Synonym(s):</u> osthelderi Huemer,1990 Provinces in Turkey: 46
- 416. Phtheochroa procerana (Lederer,1853) Synonym(s): procerana Lederer,1853

 Provinces in Turkey: 42 46
- **417. Phtheochroa purana (Guenée,1845)** Synonym(s): purana Guenée,1845; limbatana Herrich-Schäffer,[1851]. Provinces in Turkey: 16
- **418.** Phtheochroa rugosana (Hübner,[1799]) Synonym(s): rugosana Hübner,[1799]; v-albana Donovan, 1806. Provinces in Turkey: 05 06
- 419. Phtheochroa schreibersiana (Frölich,1828) Synonym(s): schreibersiana Frölich,1828 Provinces in Turkey: 16
- **420.** Phtheochroa schreieri Derra,1991 <u>Synonym(s):</u> schreieri Derra,1991 <u>Provinces in Turkey:</u> 30
- **421.** Phtheochroa thiana Staudinger,[1900] Synonym(s): thiana Staudinger,[1900]; dilectana Kennel,1900. Provinces in Turkey: 77
- **422. Phtheochroa unionana (Kennel,1900)** <u>Synonym(s):</u> *unionana Kennel,1900* <u>Provinces in Turkey: 42</u>
- 423. Piniphila bifasciana (Haworth,1811) Synonym(s): bifasciana Haworth,1811; daleana Haworth,1811; bicinctana Tengström,1848; decrepitana Herrisch-Schäffer,1851; silphana Milliére,1874 Provinces in Turkey: 14
- **424. Prochlidonia ochromixtana (Kennel,1913)** Synonym(s): ochromixtana Kennel,1913 Provinces in Turkey: 06 26 42
- **425. Propiromorpha rhodophana (Herrich-Schäffer,[1851])** <u>Synonym(s):</u> *rhodophana Herrich-Schäffer,[1851]* <u>Provinces in Turkey:</u> 16
- 426. Pseudamelia rogana Guenée, 1845 Synonym(s): rogana Guenée, 1845
- 427. Pseudargyrotoza conwagana (Fabricius,1775) <u>Synonym(s):</u> montana Scopoli,1763; conwagana Fabricius,1775; hofmannseggana Hübner,[1799]; spixiana Frölich,1828; subaurantiana Stephens,1834; graphitana Eversmann,1844; #conwajana Staudinger,1879. <u>Provinces in Turkey:</u> 16
- **428. Pseudeulia asinana (Hübner,[1799])** <u>Synonym(s):</u> *asinana Hübner,[1799]* <u>Provinces in Turkey: 59 65 71</u>
- 429. Pseudococcyx tessulatana (Staudinger,1871) Synonym(s): tessulatana

 Staudinger,1871 Provinces in Turkey: 34

- 430. Pseudosciaphila branderiana (Linnaeus,1758) Synonym(s): branderiana Linnaeus,1758; fuscana Linnaeus,1758; wahlbomiana Linnaeus,1758; asinana Clerck,1759; grossana Thunberg,1791; achariana Thunberg,1797; maurana Hübner,[1799]; sajana Caradja,1938 Provinces in Turkey: 39
- 431. Ptycholoma lecheana (Linnaeus,1758) Synonym(s): lecheana Linnaeus,1758; obsoletana Stephens,1834 Provinces in Turkey: 06 14 22 34 39
- **432. Rhopobota myrtillana (Humphreys & Westwood,1845)** <u>Synonym(s):</u> *myrtillana Humphreys & Westwood,1845; vacciniana Lienig & Zeller,1846; latifasciana Peyerimhoff,1863.* Provinces in Turkey: 16
- 433. Rhopobota stagnana ([Denis & Schiffermüller],1775) Synonym(s): stagnana [Denis & Schiffermüller],1775; fractifasciana Haworth,[1811]; cuphana Duponchel,1843; beroliensis Amsel,1932 Provinces in Turkey: 16
- 434. Rhyacionia buoliana ([Denis & Schiffermüller],1775) Synonym(s): buoliana [Denis & Schiffermüller],1775; herbstella Goeze,1783; thurificana Lederer,1855; #bouoliana Kalchberg,1897 Provinces in Turkey: 06 07 09 14 15 34 41 57
- 435. Rhyacionia pinicolana (Doubleday,1849) Synonym(s): pinicolana Doubleday,1849; cocinnana Lederer,1859 Provinces in Turkey: 14
- **436. Rhyacionia pinivorana (Lienig & Zeller,1846)** <u>Synonym(s):</u> *pinivorana Lienig & Zeller,1846; albionana Doubleday,1850; pudendana Herrich-Schäffer,1851; rhaeticana Thomann,1914; hafneri Rebel,1937* <u>Provinces in Turkey:</u> 14
- 437. Selania leplastriana (Curtis,1831) Synonym(s): leplastriana Curtis,1831; gueriniana Duponchel,1836; maderae Wollaston,1858; vana Kennel,1901; malcolmiae Walsingham,1903; decoratana Chrétien,1915; extinctana Chrétien,1915

 Provinces in Turkey: 16
- 438. Siclobola micromys (Stringer, 1929) Synonym(s): micromys Stringer, 1929
- **439.** Siclobola neglectana (Herrich-Schäffer,[1851]) Synonym(s): neglectana Herrich-Schäffer,[1851]
- 440. Sparganothis pilleriana ([Denis & Schiffermüller],1775) Synonym(s): pilleriana [Denis & Schiffermüller],1775 Provinces in Turkey: 01 05 16 32 33 46 48 50
- **441.** Spilonota ocellana ([Denis & Schiffermüller],1775) Synonym(s): ocellana [Denis & Schiffermüller],1775; luscana Fabricius,1794; comitana Hübner,[1799]; pyrifoliana Clemens,1860; occulana Harris,1862; zellerana Borgmann,1895;

- *centralasiae Obratzsov,1949* Provinces in Turkey: 05 06 14 15 16 18 25 34 61 71 81
- **442. Strophedra nitidana (Fabricius,1794)** <u>Synonym(s):</u> *nitidana Fabricius,1794;* redimitana Guenée,1845; flexana Zeller,1849; vigeliana Herrich-Schäffer,1853.

 <u>Provinces in Turkey:</u> 16
- 443. Strophedra weirana (Douglas, 1850) Synonym(s): weirana Douglas, 1850
- **444. Syndemis musculana (Hübner,[1799])** <u>Synonym(s):</u> *musculana Hübner,[1799]; musculinana Kennel,1899; nipponensis Yasuda,1975.* <u>Provinces in Turkey:</u> 10
- 445. Thiodia anatoliana Kennel, 1916 Synonym(s): anatoliana Kennel, 1916
- 446. Thiodia citrana (Hübner,[1799]) Synonym(s): citrana Hübner,[1799]; libanicolana Obraztsov, 1964. Provinces in Turkey: 05 16 65
- **447. Thiodia couleruana (Duponchel,1835)** Synonym(s): couleruana Duponchel,1835; castiliana Caradja,1917; pseudodelitanus Obraztsov,1952 Provinces in Turkey: 06 65
- 448. Thiodia fessana (Mann,1873) Synonym(s): fessana Mann,1873 Provinces in Turkey: 05 33
- 449. Thiodia torridana (Lederer, 1859) Synonym(s): torridana Lederer, 1859
- **450. Thiodia trochilana (Frölich,1828)** <u>Synonym(s):</u> *trochilana Frölich,1828; delitana Fischer v. Rösslerstamm,[1839]* Provinces in Turkey: 05 16
- 451. Tortricodes selma Koçak,1991 Synonym(s): selma Koçak,1991 Provinces in Turkey: 06 71
- **452. Tortrix viridana (Linnaeus,1758)** Synonym(s): viridana Linnaeus,1758; suttneriana [Denis & Schiffermüller],1775; flavipes Fourcroy,1785; flavana Zincken,1821 nec Hübn.,[1799]; coeruleana Sorhagen,1881.

 Turkey: 03 05 06 10 12 13 16 17 34 39 42 45 50 65 71 75 76
- 453. Trachysmia aureopunctana (Ragonot,1894) Synonym(s): aureopunctana Ragonot,1894 Provinces in Turkey: 05
- **454. Trachysmia decipiens Walsingham,1900** <u>Synonym(s):</u> <u>decipiens</u>

 Walsingham,1900 Provinces in Turkey: 29
- **455. Trachysmia lucentana (Kennel,1899)** <u>Synonym(s): lucentana Kennel,1899</u> Provinces in Turkey: 46

- **456. Trachysmia palpana (Ragonot,1894)** Synonym(s): palpana Ragonot,1894 Provinces in Turkey: 01 07 31 42
- **457. Xerocnephasia rigana (Sodoffsky,1829)** <u>Synonym(s):</u> *rigana Sodoffsky,1829;* horridana Frölich,1830; modestana Treitschke,1830; monticolana Frey,1880



Priamus & Priamus Supplement

ISSN 1015-8243

Priamus is the first international serial publication of the Centre for Entomological Studies Ankara (CESA), established in 1981. It appears in volumes at irregular intervals. It includes shorter original articles of the research workers of the Centre, regarding taxonomy, nomenclature, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.

Priamus Supplement is the first international, electronical publication of the Centre for Entomological Studies Ankara (CESA), established in 2006 in accordance with the Publications Rules of the ICZN. It appears at irregular intervals as PDF format and announced in the internet site of the CESA. It includes larger original articles and theses of the research workers of the Centre, regarding taxonomy, nomenclature, morphology, bibliography, check-list, catalogue of Insects, especially Lepidoptera, as well as papers on faunistic, ecological and distributional researches. The publication languages are Turkish, English, German and Uighurian.

Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: http://www.cesa-tr.org/

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)³, Miscellaneous Papers (ISSN 1015-8235)⁴, Memoirs (ISSN-8227)⁵ DVD Films⁶, Iconographia Insectorum⁷ Cesa Publications on African Lepidoptera (series)⁸, Cesa News [online]⁹, Cesa Books ¹⁰

Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistent: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Asst. Prof. Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Asst. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa tr@yahoo.com.tr

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org

The published copies of Priamus Supplement are found in the following major Libraries in the World: Natural History Museum, London, England - California Academy of Sciences, San Francisco, U.S.A. - Library of Transvaal Museum, Pretoria, South Africa - Bibliothek, Entomologischen Museum Dr. Ulf Eitschberger, Germany - Deutsche Entomologische Institut, Eberswalde, Germany-



³ http://www.cesa-tr.org/Pri.htm - pdf available after corresponding

⁴ http://www.cesa-tr.org/Miscell.htm - pdf available after corresponding

http://www.cesa-tr.org/Memoirs.htm -

⁶ http://www.cesa-tr.org/CDF.htm

⁷ http://www.cesa-tr.org/Icon.htm

⁸ http://www.metafro.be/Members/Cesa/internet_sayfas305/base_view - pdf available

⁹ http://www.cesa-tr.org/Cesanews.htm 10 http://www.cesa-tr.org/Cesabooks.htm